

15 APR 2005

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
29 April 2004 (29.04.2004)

PCT

(10) International Publication Number
WO 2004/035014 A1

(51) International Patent Classification⁷: A61K 7/027

(21) International Application Number:
PCT/BR2003/000147

(22) International Filing Date: 15 October 2003 (15.10.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
PI0207052-9 15 October 2002 (15.10.2002) BR

(71) Applicant (for all designated States except US): NATURA
COSMÉTICOS S.A. [BR/BR]: Rua Amador Bueno 491,
Santo Amaro, 04752-900- São Paulo- SP (BR).

(72) Inventors; and

(75) Inventors/Applicants (for US only): AMARAL RO-
DRIGUES, Adriana [BR/BR]: Av. Tiradentes, 47,

Nova Valinhos, 13271-220-Valinhos, SP (BR). LÉO,
Cláudia [BR/BR]: Rua Georgia, 207, apto. 54, Brooklin,
04559-010-São Paulo- SP (BR).




(74) Agent: DANNEMANN, SIEMSEN, BIGLER, &
IPANEMA MOREIRA; Caixa Postal 2142, Rua Marquês
de Olinda, 70, 22251-040-Rio de Janeiro-RJ (BR).

(81) Designated States (national): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,
CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
LK, LR, LS, LT, LU, LV, MA, MG, MK, MN, MW, MX,
MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD,
SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG,
US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),
Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE,

[Continued on next page]

(54) Title: A SOLID COSMETIC COMPOSITION



(57) Abstract: The present invention relates to a solid cosmetic composition comprising, as a structure agent, a combination consisting of a saturated straight-chain polymer and an agglutinating agent for this polymer. The composition of the invention has a rigid, moldable and stable structure, being suitable for application as, for example, lipstick, blush, eye shadow, stick base, lip protectors (either colorful or colorless), deodorants, perfumes, among others.

WO 2004/035014 A1

BEST AVAILABLE COPY



ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO,
SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM,
GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

*before the expiration of the time limit for amending the
claims and to be republished in the event of receipt of
amendments*

Published:

— with international search report

*For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.*

Title: "A SOLID COSMETIC COMPOSITION"**Field of the Invention**

The present invention relates to solid cosmetic compositions for application as, for example, lipstick, blush, eye shadow, stick base, lip protectors (either colorful or colorless), deodorants, perfumes, and others.

Background of the Invention

There are many cosmetic compositions that are used for coloring and protecting lips, eyes, faces, etc.

As far as lipsticks are concerned, for example, those used at present are cosmetic compositions containing structural agents such as waxes, which are products traditionally used by the consumers. However, these products are heavy, because, when applied to the lips, they are noticed, since they form a film of translucent color, without a perfect and intense covering right at the first application.

Other types of lipsticks that use mixtures with linear structural agents exhibit a non-satisfactory spreadability, and one feels the friction of the lipstick while passing it on one's lips.

As it is known, lipsticks are a complex mixture of solids, semisolids and liquids, such as waxes and emollients that, as time passes, often exudes and undergo oxidation, rendering the appearance and odor of such a product unsatisfactory.

On the other hand, lipsticks with a high concentration of emollients have the problem of flowing through the lips' edges, in addition to having low fixation power.

Many of these problems related to a poor fixation of the product and its unpleasant feeling on the skin also occur with other forms of presentation of solid cosmetic compositions such as blushes, eye shadows, stick-bases, deodorants and the like.

Therefore, it is an objective of the present invention to provide a solid cosmetic composition that can be applied in the form of a bullet or a stick, which can provide the user with a feeling of not being using any product.

Summary of the Invention

The present invention relates to a solid cosmetic composition comprising, as a structure agent, a combination consisting of a saturated straight-chain polymer and an agglutinating agent for this polymer.

5 Brief Description of the Drawings

Figures 1 and 2 show images of the cosmetic composition of the invention compared with known compositions that are scanned from samples tested (in replicate) by sliding on a universal assay machine.

Figure 3 shows images obtained by stereomicroscopy of the
10 samples assayed by controlled sliding with an approximate 30-time enlargement.

Figure 4 shows an image obtained by transmission optical microscopy on Vitro-SkinTM of a sample analyzed with an approximate 100-time enlargement.

15 Figures 5 to 9 contain scanning electronic micrograph images of several analyzed samples.

Detailed Description of the Invention

The present inventors have developed a novel cosmetic composition, the innovation of which lies in obtaining a rigid, moldable and stable
20 structure, which is obtained by using a combination of two structural agents, namely a polymer with a specific structure and an agglutinant.

This rigid, moldable and stable structure is composed of a straight-chain aliphatic hydrocarbon with structural properties, and more specifically a polymer. This polymer is obtained by means of a polymerization
25 process, controlled so as to ensure that its chain will be totally straight, without branches at the polymeric chain.

A polymer specially useful for the present invention is the totally saturated polyethylene with a molecular weight ranging from 300 to 700 and, more preferably, a saturated linear polyethylene with a molecular weight of
30 approximately 400.

— " — with the saturated linear polymer mentioned above, the

for that polymer. In order for the resulting structure to have a stable form, it is necessary to use such an agglutinating agent, which, combined with said polymer, provides the desired moldability, as for example, the shape of a bullet in a stable stick. This agglutinating agent is a glyceride, formed by glyceryl esters and behenic acid, and preferably the triglyceride of behenic acid,
5 known as Tribehenin.

It should be pointed out that some agglutinating agents used in cosmetic compositions and more particularly in lipsticks are mixtures containing glyceryl behenate and glyceryl dibehenate, which renders the composition unstable, polyethylene waxes, which provides the so-called lipstick bullet
10 with a soft consistency, and esters such as triisostearoyl citrate, which provide an oily feeling on the lips.

Tribehenin may be used in cosmetic compositions as an occlusive skin conditioning agent, suspending agent, gel forming agent and as a
15 brightener. When used in the present invention, its function is structural and as an agglutinating agent for a totally linear and saturated polymer.

Thus, a stable cosmetic composition with only two structural agents is obtained, without adding any type of mineral, vegetable and animal wax, more specifically natural waxes, or oils, which would make the product
20 "heavier".

The saturated linear polymer is usually employed in a range of 2 to 20% by weight, based on the total weight of the composition. On the other hand, the agglutinant agent is advantageously employed in a proportion ranging from 3 to 15% by weight, also based on the total weight of the composition.
25

Since the structure of the composition is predominantly composed of a structural agent having a totally straight and saturated chain, this composition has an ultrafine texture and provides a feeling of absence of products on the lips, because it combines extremely light and comfortable
30 structural agents that may be used with non-oily emollients, defining the so-called feeling of a "second skin".

In addition to the above-cited structural components, the compo-

sition of the invention contains other components that are usually employed in cosmetic compositions of this kind and that are determinative of the objectives of the invention. The composition may contain, for example, film forming agents, which provide greater fixation of the product and, in the case of lipsticks, help to prevent it from flowing into the upper and lower creases on the lips. For instance, the addition of dimethiconol fluoroalcohol dilinoleic acid, which is a film forming agent, promotes deaeration of the product in its manufacture, which is an additional technical advantage.

Compounds that inhibit oily characteristics of the composition may also be used, such as hydrogenated polyisobutene and isononyl isononanoate, in addition to compounds that provide treatment benefits such as maintenance of skin hydration and anti-free radical action. Examples of such compounds include spheres of marine biopolymers and vitamin E, respectively.

Specifically when formulated as a lipstick, the solid cosmetic composition of the invention may include compounds such as phenylethyl dimethicone, which promotes the achievement of luminosity on the lips, as well as ground dispersions in triisostearoyl citrate with the pigments having a reduced particle size, which provide a luminosity increase in the color of the product.

Chemical and physical sunscreens, in amounts sufficient to provide a sun protection factor (SPF) suitable for the final use, may also be added. In the case of lipstick, it is desirable for the sunscreens to be in an amount sufficient to provide a sun protection factor of at least 15.

In a preferred embodiment of the invention, the cosmetic composition comprises at least two film forming agents, more specifically trimethylsiloxysilicate dissolved in cyclomethicone and dimethiconol fluoroalcohol dilinoleic acid, which guarantees long duration of the product, as well as enhances the fixation of the composition without flowing into neighboring areas, such as eyes, lips, etc. Since dimethiconol fluoroalcohol dilinoleic acid is a

and/or packing it.

As a demolding agent, a mixture of silicone oil and polyisobutene is used, more specifically polydimethylsiloxane and hydrogenated polyisobutene, which provide the appearance of the bullet with a satiny brightness, after the finishing process in packing the product, in order to provide the appearance which the consumer likes.

A composition prepared with the structural agents according to the present invention has a number of improved characteristics in comparison with analogous compositions of the prior art, namely:

- It has an ultrafine texture, which provides the feeling of absence of product after application thereof, be it on the lips, face, eyes, or elsewhere, leaving no oily or heavy feeling;
- It is a homogeneous film-forming composition, extremely light in weight and comfortable;
- It allows the product to slide in an intense way, without friction while it is being applied;
- It also provides color deposit in an intense way in the first application, when used in make-up products;
- It has a high refraction index, providing luminosity;
- It has long durability;
- It does not comprise toxic or irritating components.

Tables 1-4 illustrate examples of compositions formulated in accordance with the embodiments of the present invention, indicating their preferred components and appropriate quantitative ranges according to the final uses intended. All the concentrations indicated are defined as percentage by weight based on the total weight of the composition:

TABLE 1: Lipstick Composition

Components	Function	Concentration (%)
Phenylethyl dimethicone	Brightening agent	8 - 15
Cyclomethicone/Trimethylsiloxysilicate	Film forming agent	3 - 10
Hydrogenated polyisobutene	Emollient	10 - 20

Propylparaben	Preservative	0.01 - 0.10
Hydroxy butyl toluene	Antioxidant	0.01 - 0.10
Tribehenin	Agglutinating agent	3 - 15
Polyethylene	Structure agent	2 - 20
Isononyl isonanoate	Vehicle	10 - 30
Dimethiconol fluoroalcohol dilinoleic acid	Film forming and deaerating agent	1 - 5
Titanium dioxide	Sunscreen	0.1 - 2
Octylmethoxycinamate	Sunscreen	2 - 5
Benzophenone 3	Sunscreen	1 - 3
Active	Hydrating agent	0.01 - 1
Pigments (organic, inorganic, lacquers and mica)	Coloring agent	15 - 25
Triisostearoyl citrate	Emollient	5 - 20
Vitamin E	Anti-free radicals	0.1 - 1
Essence	Perfume	0.1 - 1

TABLE 2: Pot Molded Bright Lipstick Composition

Components	Function	Concentration (%)
Diisostearyl malate	Emollient	15 - 25
Triisostearoyl citrate	Vehicle	20 - 40
PVP/eicosane copolymer	Film forming agent	3 - 7
Propylparaben	Preservative	0.01 - 0.10
Hydroxyl butyl toluene	Antioxidant	0.01 - 0.10
Tribehenin	Agglutinating agent	3 - 15
Polyethylene	Structure agent	2 - 20
Octylmethoxycinamate	Sunscreen	2 - 5
Benzophenone 3	Sunscreen	1 - 3
Active	Hydrating agent	0.01 - 1
Pigments (organic, inorganic, lacquers and mica)	Coloring agents	1 - 15
Vitamin E	Anti-free-radical	0.1 - 1
Essence	Perfume	0.1 - 1

TABLE 3: Lip Protector Composition with Sun Protection Factor SPF 30

Components	Function	Concentration (5)
Dicapryl carbonate	Vehicle	35 - 55
Shea Butter	Emollient	1 - 6
PVP/eicosane copolymer	Film forming agent	2 - 5
Methylparaben	Preservative	0.01 - 0.20
Propylparaben	Preservative	0.01 - 0.10
Hydroxyl butyl toluene	Antioxidant	0.01 - 0.10
Tribehenin	Agglutinating agent	3 - 15
Polyethylene	Structure agent	2 - 20
Octylmethoxycinamate	Sunscreen	5 - 10
Benzophenone 3	Sunscreen	3 - 6
Butyl methoxy dibenzoyl methane	Sunscreen	2 - 5
Octyl triazone	Sunscreen	2 - 5
Vitamin E	Anti-free-radical	0.1 - 1
Essence	Perfume	0.1 - 1

TABLE 4: Stick-Base Composition**STICK-BASE FORMULATION**

Components	Function	Concentration (%)
Triglycerol-4 isostearate	Emollient	0.1 - 2
Dicapryl carbonate	Vehicle	15 - 25
Hydrogenated polyisobutene	Emollient	5 - 15
Stearyl dimethicone	Film forming agent	2 - 8
Silicone elastomer	Emollient	2 - 10
Nylon 12	Sensorial modifier	0.5 - 3
Micronized talc	Absorber	2 - 10
Modified starch	Sensorial modifier	5 - 15
Silica microspheres	Absorber	1 - 5
Mixtures of preservatives	Preservative	0.01 - 0.50
Methylparaben	Preservative	0.01 - 0.20
Propylparaben	Preservative	0.01 - 0.10
Hydroxyl butyl toluene	Antioxidant	0.01 - 0.10
Tribehenin	Agglutinating agent	3 - 15

Polyethylene	Structure agent	2 - 20
Butyl methoxy dibenzoyl methane	Sunscreen	2 - 5
Titanium dioxide	Sunscreen	10 - 15
Active	Hydrating agent	0.01 - 1
Pigments (organic, inorganic, lacquers and mica)	Coloring agents	2 - 12
Vitamin E	Anti-free-radical	0.1 - 1
Essence	Perfume	0.01 - 1

Examples

A lipstick composition as described above in Table 1 was subjected to a research, in which the product was tested by 120 volunteers for 7 days, with a use frequency of about 8.8 times. A few considerations are given below, where the values are averages on a concordance scale with 5 points at most:

- 4.8 points - it covers the lips in a homogeneous way;
- 4.6 points - it colors the lips at the first application;
- 4.7 points - it slides on the lips, transmitting a pleasant feeling of softness;
- 4.4 points - the texture is light in weight like a plume;
- 4.4 points - it does not flow / it does not stain;
- 4.4 points - its color is not altered during use;
- 4.5 points - it has a differentiated, creamy and at the same time lighter emollience;
- 4.4 points - it protects one's lips;
- 4.4 points - it hydrates one's lips;

Comparative Example:

Eleven finished lipsticks were analyzed at the laboratories of the University of Campinas - UNICAMP and of the University of São Paulo - USP - São Paulo, Brazil, by Joekes, Nogueira and Cassiola, the samples being classified as follows:

Éluard, metallic brown identified by the trade name Dali, red identified by the trade name Piano, golden identified by the trade name Techno, metallic rose color identified as "label-less" ;

- five packages containing compositions according to the present invention, as described in Table 1 in the following color options: metallic wine color identified by the trade name Georgette, metallic brown identified by the trade name Cetim, red identified by the trade name Mousseline, golden identified by the trade name Organza, metallic rose color identified as Cashmere;
- a sample of the raw material saturated straight-chain polyethylene identified as "MP em bala" (MP in bullet).

In addition to the above-mentioned finished lipsticks, the following have been analyzed:

- a sample labeled "Bala do batom novo" (novel lipstick bullet), which is a base composition for the lipsticks according to the present invention;
- a sample labeled "Bala do batom velho" (old lipstick bullet), which is a base composition for the lipsticks of the prior art.

TABLE 5 - "Lipstick Composition of Traditional Formulation"

Components	Function	Concentration (%)
Castor oil	Vehicle	10 - 50
Carnauba wax	Structure agent	1 - 5
Candelilla wax	Structure agent	5 - 10
Bee wax	Structure agent	1 - 6
Ozoquerite wax	Structure agent	0.1 - 1.5
Ceresin	Structure agent	1 - 5
Hydrogenated castor oil	Emollient	0.1 - 3
Lanolin oil	Emollient	2 - 7
Decyl oleate	Emollient	10 - 20
Glyceryl abietate	Emollient	0 - 3
Hydrogenated vegetable oil	Thickener	0.1 - 8
Polybutene	Compacting agent	0.1 - 15
Isopropyl myristate	Emollient	0.1 - 5

Vitamin E	Anti-free-radical	0.01 - 1
Glyceryl rosinate / octyldodecyl myristate	Film forming agent	0 - 5
Propylparaben	Preservative	0.01 - 0.10
Hydroxyl butyl toluene	Anti-free-radical	0.01 - 0.10
Titanium dioxide	Sunscreen	0 - 2
Octylmethoxycinamate	Sunscreen	0 - 5
Benzophenone 3	Sunscreen	0 - 3
Actives	Hydrating agent	0 - 1
Pigments (organic, inorganic, lacquers and mica)	Coloring agents	1 - 30
Essence	Perfume	0.1 - 1

The test further used an A4-size sheet of trade mark Vitro-skin:

1 - Description of the tests and results achieved

- The finished lipsticks were separated in 5 pairs, each being composed of a lipstick of the invention and a lipstick of the prior art. Another pair was constituted by the samples labeled "Bala do batom novo" (invention = novel lipstick bullet) and "Bala do batom velho" (prior art = old lipstick bullet).

1.1 - Sliding tests:

Controlled sliding

- Two pairs of lipsticks and the pair of "bullets" were tested. Each pair was slide-tested only once, vertically and simultaneously, on pieces of Vitro-skin of dimensions 7.2 cm X 1.5 cm at a speed of 0.5 cm s⁻¹ in a universal assay machine. Each piece of Vitro-skin was weighed before and after the sliding of the lipsticks. The sample masses deposited on these tests are indicated in Table 6 below.

- TABLE 6:** Sample masses deposited on the Vitro-skin substrate in the slide tests in a universal assay machine. Duplicates.

Lipstick	Deposited mass, g	
Old lipstick bullet	1.42	0.74
Novel lipstick bullet	2.38	1.92

Éluard (*)	1.83	1.60
Georgette (**)	1.82	1.95

(*) lipstick according to the prior art

(**) lipstick according to the invention

5 One can see, in this table, that the masses of sample deposited on the Vitro-skin are significantly larger in the case of the sample "Bala do batom novo" (novel lipstick bullet) than for the "Bala de batom velho" (old lipstick bullet). This difference is very well repeated for the lipsticks "Label-less" and "Cashmere", and in a greater degree for the lipsticks "Éluard" and

10 "Georgette". Assuming that the lipsticks are obtained by formulation of the bases used in the "Balas" (bullets), one can perfectly discriminate the lipstick "Label-less" as coming from the base "Bala do batom novo" (novel lipstick bullet). The discrimination is not so good in the case of the lipsticks "Éluard" and "Georgette" and should be attributed to the differences in formulation.

15 Pieces of Vitro-skin with lipstick were mounted in a scanner by using a glass spacer, in pairs. Figures 1 and 2 are the images obtained. These figures show well the differences in the amount of product deposited in each case, concordant with the gravimetry data.

 Other pieces of Vitro-skin were mounted between blade and tiny

20 blade and photographed by stereomicroscope with dark field and illumination from below. Figure 3 exhibits images obtained by stereomicroscopy of the samples tested by controlled sliding with an increase of about 30 times. The results are arranged in the following way:

- at the top: "Bala do batom velho" (old lipstick bullet) on the left, and
- 25 "Bala do batom novo" (novel lipstick bullet) on the right;
- in the middle: "Label-less" on the left and "Cashmere" on the right;
- below: "Éluard" on the left and "Georgette" on the right.

 Just as in the scanner images, the differences in spreading are clear. With this greater increase one can note indicia of difference in the microstructure of the samples, which are confirmed in an analysis by SEM

30 (scanning electronic microscopy).

1.2 Topography analysis by scanning electronic microscopy

The samples obtained in the controlled-slide tests were observed under an electronic microscope JEOL JSM 840 A, at the Laboratory of Electronic Microscopy of the Institute of Physics of the University of São Paulo - USP. A piece of dimensions 4 mm X 7 mm was taken from each sample.

5 These pieces were fixed with a double-face tape to the sample-holder and covered with gold by sputtering. The microscope was operated at 25 kV and current of 6×10^{-11} A. The image recording was made on a white-and-black 135-mm photographic film, by using a photographic camera coupled to the SEM. Figures 5-9 are representative of the observations made with SEM.

10 Figure 4 shows the appearance of the Vitro-SkinTM under the optical microscope, incorporated herein only as an illustration. This is a quite homogeneous material in these enlargements, with roughness. Figure 5A shows the topography of the Vitro-SkinTM (upper), in which the surface roughness is better characterized in comparison with the sample "MP em bala" - MP in bullet (lower).

15 Figure 5B shows the aspect of the sample "MP em bala" (MP in bullet) manually spread on the Vitro-SkinTM. It can be noted that the product spreads over the substrate, leaving particle aggregates in a quite irregular way.

20 The micrographs A and B in Figure 6 show the samples "Bala do batom velho" (old lipstick bullet) and "Bala do batom novo" (novel lipstick bullet), respectively, on the Vitro-SkinTM. Both micrographs are strictly in the same enlargement. The spreading observed for the "Bala do batom velho" (old lipstick bullet) exhibits particle agglomerates of a greater size. The particles are rounded, providing a little-defined microstructure. The sliding between the different layers during the spreading seems to be not much uniform. The spreading observed for "Bala do batom novo" (novel lipstick bullet) shows greater uniformity. The particles are smaller, better defined and also form agglomerates of smaller size. These agglomerates present good cohesion with each other, providing greater uniformity of spreading. In bigger en-

30

The observation of the spreading on the Vitro-SkinTM of the samples of the finished lipsticks has shown results similar to those presented in the micrographs A and B in Figure 6. In Figure 7A ("Label-less"), one notes lesser structuring of the sample and the formation of a thinner layer after the spreading than in Figure 9B ("Cashmere"). In Figure 7B, one again notes greater uniformity of the spreading.

The micrographs of Figure 8 exhibit an enlargement twice as big as that obtained for the micrographs of Figure 7, the samples being the same. These micrographs confirm what was shown in Figure 7. The sample of Figure 8A has less structured microstructure and seems to spread in thinner layers (although the spreading has good cohesion among the particles) than in the sample of Figure 8B.

The pair of micrographs presented in figure 9 shows more clearly the differences observed before. Figure 9A presents spreading on the Vitro-SkinTM of larger particle agglomerates, spreading in a less regular way and with less structuring. Figure 9B shows smaller agglomerates, but evenly spread and particles having a more defined shape, more structured and with good cohesion among themselves.

2 - Conclusions

The sliding tests show that there are significant differences between the lipsticks tested for the covering of the Vitro-SkinTM substrate. In all the cases, the finished lipsticks comprising compositions according to the invention cover the substrate more evenly.

The gravimetry tests show that these differences may be attributed to the nature of (said) bases. The "Bala do batom novo" (novel lipstick bullet) deposits about twice as much product as the "Bala do batom velho" (old lipstick bullet) on the substrate in a single passing with controlled speed and force.

The tests with scanning electronic microscopy show that the microstructure of (said) bases is different, after spreading on the Vitro-SkinTM. The "Bala do batom velho" (old lipstick bullet) spreads with formation of bitter agglomerates, with little structuring, but with good cohesion among the parti-

cles. The "Bala do batom novo" (novel lipstick bullet) spreads more densely and more evenly, with formation of smaller agglomerates, exhibiting a better structuring. The differences in structuring are also observed for the finished lipsticks. After having been spread, the finished lipsticks from the "Bala do batom novo" (novel lipstick bullet) exhibit a much more uniform microstructure than the lipsticks from the base "Bala de batom velho" (old lipstick bullet).

Thus, the larger and better spreading of the lipsticks according to the present invention with respect to the lipsticks of known composition of the prior art may be directly related to the different microstructure of the respective bases.

CLAIMS

1. A solid cosmetic composition characterized by comprising, as a structure agent, a combination consisting of a saturated straight-chain polymer and an agglutinating agent for such polymer that consists of a glyceride.
5
2. A composition according to claim 1, characterized in that the saturated straight-chain polymer is saturated linear polyethylene.
3. A composition according to claim 2, characterized in that the saturated linear polyethylene has a molecular weight of approximately 400.
- 10 4. A composition according to any one of claims 1-3, characterized in that the agglutinant agent is tribehenin.
5. A composition according to any one of claims 1-4, characterized in that the saturated straight-chain polymer is present in a proportion ranging from 2 to 20% by weight, based on the total weight of the composition.
15
6. A composition according to any one of claims 1-5, characterized in that the agglutinant agent is present in a range from 3 to 15% by weight, based on the total weight of the composition.
7. A composition according to any one of claims 1-6, characterized in that it is in the form of a lipstick.
20

Label - less

Cashmere

Label - less

Cashmere

FIG. 1




FIG. 2

3/9





FIG. 3






FIG. 4



A



B

FIG. 5

6/9





FIG. 6



A




B

FIG. 7




A



B

FIG. 8



A

B

FIG. 9

INTERNATIONAL SEARCH REPORT

International Application No.
PCT/JP 03/00147A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 A61K7/027

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, CHEM ABS Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	GB 2 167 662 A (CRB VIRBAC SARL) 4 June 1986 (1986-06-04) page 1, line 5-9; example 4	1-7
X	US 5 053 079 A (BROWN EDWARD A ET AL) 1 October 1991 (1991-10-01) claim 1; examples 13-15	1-7
X	US 5 684 178 A (BORDIER THIERRY ET AL) 4 November 1997 (1997-11-04) column 8, line 56 -column 9, line 50 column 10, line 10 -column 11, line 27 column 2, line 8-16	1-7
A	Bareco Product Data, Polywax Polyethylenes, November 1981 XP002268647 page 1	1-7
-/-		

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

* Special categories of cited documents:

A document defining the general state of the art which is not considered to be of particular relevance

E earlier document but published on or after the international filing date

L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

O document referring to an oral disclosure, use, exhibition or other means

P document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

Z document member of the same patent family

Date of the actual completion of the international search

30 January 2004

Date of mailing of the international search report

01/03/2004

Name and mailing address of the ISA

European Patent Office, P.B. 5819 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Sala-Jung, N

INTERNATIONAL SEARCH REPORT

Internat Application No
PCT/BR 03/00147

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	PROF. DR. JÜRGEN FALBE, PROF. DR. MANFRED REGITZ: "Römpf Chemie Lexikon, vol.5" 1995, GEORG THIEME VERLAG, STUTTGART. NEW YORK XP002266416 960941 page 3886 page 4130 -page 4131	1-7
X	US 6 258 346 B1 (DODSON ERIC DAVID ET AL) 10 July 2001 (2001-07-10) examples 1-5,7; table 6	1-7
X	EP 1 044 677 A (OREAL) 18 October 2000 (2000-10-18) paragraph '0015!; examples 4,5	1-7
A	ANONYMOUS: "New Phase Technologies Performance Polymers" INTERNET, 'Online! 1999, XP002268436 Retrieved from the Internet: <URL:http://www.suppliercd.com/scd10/NEWPO001/Attach/m0002402.pdf> 'retrieved on 2004-01-27! page 5	1-7
X	EP 1 147 761 A (SHISEIDO CO LTD) 24 October 2001 (2001-10-24) paragraph '0001!; examples 1-22	1-7
P, X	WO 03 028690 A (DOERSCHNER ALBRECHT; LANZENDOERFER GHITA (DE); SCHNEIDER KIRSTEN () 10 April 2003 (2003-04-10) example 92	1-7
A	WO 02 30368 A (COTY BV; CERNASOV DOMINICA (US); KULKARNI RUPALI A (US); MACCHIO R) 18 April 2002 (2002-04-18) page 3, line 22-24	1-7
A	WO 00 69484 A (MINOGUCHI RYO; NIIHARA KAORU (JP); GRAY BRIAN FRANCIS (JP); WARREN) 23 November 2000 (2000-11-23) page 57, line 25 -page 58, line 1	1-7

INTERNATIONAL SEARCH REPORT

 International Application No
 PCT/JP 03/00147

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
GB 2167662	A	04-06-1986	FR 2573307 A1	23-05-1986
			AU 585280 B2	15-06-1989
			AU 4998285 A	29-05-1986
			BE 903610 A1	09-05-1986
			DE 3539408 A1	05-06-1986
			IT 1188195 B	07-01-1988
			NL 8503227 A	16-06-1986
			NZ 214179 A	28-06-1989
			ZA 8508486 A	25-06-1986
US 5053079	A	01-10-1991	DE 69104480 D1	10-11-1994
			DE 69104480 T2	16-02-1995
			EP 0530295 A1	10-03-1993
			WO 9118066 A1	28-11-1991
			JP 6511019 T	08-12-1994
			KR 183405 B1	01-05-1999
US 5684178	A	04-11-1997	FR 2711988 A1	12-05-1995
			AT 164835 T	15-04-1998
			CA 2135132 A1	06-05-1995
			DE 69409464 D1	14-05-1998
			DE 69409464 T2	12-11-1998
			EP 0652209 A1	10-05-1995
			ES 2116554 T3	16-07-1998
			JP 2931763 B2	09-08-1999
			JP 7188152 A	25-07-1995
			US 6207173 B1	27-03-2001
			US 2001055620 A1	27-12-2001
US 6258346	B1	10-07-2001	AU 2097001 A	26-11-2001
			WO 0187251 A1	22-11-2001
EP 1044677	A	18-10-2000	FR 2792191 A1	20-10-2000
			AT 208610 T	15-11-2001
			BR 0001210 A	24-04-2001
			CA 2305025 A1	16-10-2000
			CN 1273082 A	15-11-2000
			DE 60000031 D1	20-12-2001
			DE 60000031 T2	18-04-2002
			EP 1044677 A1	18-10-2000
			ES 2168247 T3	16-06-2002
			JP 2000319129 A	21-11-2000
EP 1147761	A	24-10-2001	JP 2001158718 A	12-06-2001
			EP 1147761 A1	24-10-2001
			CN 1338919 T	06-03-2002
			WO 0139733 A1	07-06-2001
			US 2003035781 A1	20-02-2003
WO 03028690	A	10-04-2003	DE 10148314 A1	10-04-2003
			DE 10148301 A1	17-04-2003
			DE 10148302 A1	17-04-2003
			DE 10148313 A1	10-04-2003
			DE 10150619 A1	24-04-2003
			DE 10155960 A1	22-05-2003
			WO 03028690 A1	10-04-2003
WO 0230368	A	18-04-2002	DE 10053052 A1	06-06-2002

INTERNATIONAL SEARCH REPORT

information on patent family members

Internat

Application No.

PCT/BR 03/00147

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 0230368	A	WO 0230368 A2	18-04-2002
		EP 1324738 A2	09-07-2003
WO 0069484	A		
	23-11-2000	AU 4198199 A	05-12-2000
		AU 4198399 A	05-12-2000
		AU 5033300 A	05-12-2000
		AU 5146500 A	05-12-2000
		AU 6504999 A	05-12-2000
		BR 9917302 A	18-06-2002
		CA 2368584 A1	23-11-2000
		CA 2373027 A1	23-11-2000
		CA 2373138 A1	23-11-2000
		CN 1379688 T	13-11-2002
		EP 1178845 A1	13-02-2002
		EP 1178846 A1	13-02-2002
		JP 2003524470 T	19-08-2003
		JP 2003527147 T	16-09-2003
		TW 446556 B	21-07-2001
		WO 0069484 A1	23-11-2000
		WO 0069485 A1	23-11-2000
		WO 0069482 A1	23-11-2000
		WO 0069481 A1	23-11-2000
		WO 0069483 A1	23-11-2000

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.